EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	67	348/460.ccls. AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT	OR	ON	2009/05/13 08:11
L2	23801	(((program video TV television user viewer cable CATV movie interactive) NEAR2 (guide schedule menu listing grid)) or EPG or IPG) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 08:23
L3	39582	(((program video TV television user viewer cable CATV movie interactive) NEAR2 (guide schedule menu listing grid)) or EPG or IPG) SAME (executable computing computer macro code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 08:24
L4	4750	3 AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 08:25
L5	288	4 AND "725"/\$.œls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 08:25

L6	20	725/41.ccls. AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 10:37
L7	2	"5819034".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 10:46
L8	2	7 AND (repeat\$3 repetitiv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 10:50
L9	7289	((repeat\$3 repetitiv \$3) NEAR3 (transmission delivery broadcast reception)) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 11:35
L10	104	9 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 11:35
L24	72	725/39-56.ccls. AND ((executable computing computer software) NEAR4 (instruction application software code)) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:05

L25	434	"725"/\$.ccls. AND ((executable computing computer software) NEAR4 (instruction application software code)) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:14
L26	63	"725"/\$.ccls. AND ((executable computing computer software) NEAR4 (instruction application software code)) SAME (VBI "blanking interval" "line 21" teletext auxilary TDM "time division" mutltiplex \$3) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:16
L27	15	("3803491" "3891792" "4264925" "4323922" "4528589" "4937784" "4965825" "5129080" "5168356" "5191573" "5233654" "5343238" "5440744" "5548532" "5600364").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/13 14:20
L28	35	("5819034").URPN.	USPAT	OR	ON	2009/05/13 14:21

L29	22	("5010499" "5251209" "5262860" "5283639" "5289276" "5347304" "5347315" "5351129" "5381413" "5396494" "5400401" "5442389" "5481542" "5488412" "5524001" "5557724" "5583562" "5682195" "5819034").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/13
L30	80	"348"/\$.ccls. AND ((executable computing computer software) NEAR4 (instruction application software code)) SAME (VBI "blanking interval" "line 21" teletext auxilary TDM "time division" mutltiplex \$3) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:31
L31	22	30 NOT 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:32
L32	88	("5448568").URPN.	USPAT	OR	ON	2009/05/13 14:34
L33	5	("4241398" "5287182" "5396497" "5442390" "5448568").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/13 14:34

L34	5	("4851909" "4852084" "5260978" "5267036" "Re33535").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/13 14:35
L35	10	("2735889" "5283639" "5400402" "5424770" "5448568" "5537416" "5594490" "5600573" "5682148").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/13 14:36
L36	7	"709"/\$.ccls. AND ((executable computing computer software) NEAR4 (instruction application software code)) SAME (VBI "blanking interval" "line 21" teletext auxilary TDM "time division" mutltiplex \$3) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:40
L37	12	"345"/\$.ccls. AND ((executable computing computer software) NEAR4 (instruction application software code)) SAME (VBI "blanking interval" "line 21" teletext auxilary TDM "time division" mutltiplex \$3) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:42

L38	15	"340"/\$.ccls. AND ((executable computing computer software) NEAR4 (instruction application software code)) SAME (VBI "blanking interval" "line 21" teletext auxilary TDM "time division" mutltiplex \$3) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:43
L39	255	9 AND "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:58
L40	184	39 NOT 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:58
L41	1233	((cyclic\$4) NEAR3 (transmission delivery broadcast reception)) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:12
L42	10	41 AND "725"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:12
L43	37	41 AND "348"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:24

L44	29	43 NOT 42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:24
L45	108	"348"/\$.ccls. AND ((executable computing computer software) NEAR8 (instruction application software code)) SAME (VBI "blanking interval" "line 21" teletext auxilary TDM "time division" mutltiplex \$3) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:27
L46	28	45 NOT 30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:28
L47	77	"725"/\$.ccls. AND ((executable computing computer software) NEAR8 (instruction application software code)) SAME (VBI "blanking interval" "line 21" teletext auxilary TDM "time division" mutltiplex \$3) AND ((@ad <= "19940428") or (@rlad <= "19940428"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:33
L48	14	47 NOT 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 15:34

5/13/09 4:27:32 PM

 $\textbf{C:} \ \, \textbf{Documents and Settings} \ \, \textbf{RBrown1} \ \, \textbf{My Documents} \ \, \textbf{EAST} \backslash \, \textbf{Workspaces} \backslash \, \textbf{9-903458.wsp}$